

## Index to Volume 118



The Auk 118(4):1124-1140, 2001

COMPILED BY BRADLEY R. PLUMMER AND REBECCA M. BRAUCHT

The index is confined primarily to new information. Previously published information referred to in this volume has not been included unless extensive comparisons or reinterpretations are involved. New specific names are printed in **boldface** type.

- 100 Years Ago in The American Ornithologists' Union, 281, 572, 817, 1121
- Abraham, Kenneth F., see Badzinski, Shannon S., et al.
- Abundance, of forest birds, 589-610; Swainson's Warbler, 650-664
- Accipiter imitator*, 472-483
- A. novaehollandiae rufoschistaceus*, 472-483
- A. superciliosus*, 304-326
- A. cooperi*, 1095-1101
- A. gentilis*, 352-365
- A. nisus*, 352-365
- A. nisus*, 996-1007
- Aceros plicatus*, 916-933
- Ac. plicatus harterti*, 472-483, 916-933
- Acrocephalus arundinaceus*, 147-155
- Acr. scirpaceus*, 534-538, 776-780
- Acr. scirpaceus*, 698-708
- Actitis hypoleucos*, 472-483
- Activity Patterns and Effect of Ticks on Growth and Survival of Tropical Roseate Tern Nestlings, 709-716
- Adenylate kinase intron 5, 248-255
- Adenylate Kinase Intron 5: A New Nuclear Locus for Avian Systematics, 242-248
- Adrenocortical response to stress in Semipalmated Sandpipers, 79-91
- Adult survival in Ovenbirds, 380-388
- Aegothales insignis*, 248-255
- Afik, Daniel, see Ciminari, M. Eugenia, et al.
- Afpavo congensis*, 799-804
- Age and Recruitment in Cassin's Auklets, 996-1007
- Age and Reproduction in Lesser Spotted Woodpeckers (*Dendrocopos Minor*), 624-635
- Agelaius phoeniceus*, 16-23, 24-34, 147-155, 231-236, 268-269, 765-769, 983-995
- A. phoeniceus*, 272-274
- Ahumada, Jorge A., 191-210
- Aimophila aestivalis*, 832-837
- Aix sponsa*, 650-664
- Alatalo, Rauno V., see Rätti, Osmo et al.
- Albatross, Wandering, 996-1007
- Alca torda*, 404-411, 996-1007, 1076-1080
- Alcedo atthis salomonensis*, 472-483
- Alectoris chukar*, 799-804
- Ale. rufa*, 799-804
- Almeida, Juliana B., and Macedo, Regina H., 404-411
- Altshur, Douglas L., and Nunn, Andrea M., 795-799
- Amaurornis moluccanus nigrifrons*, 472-483
- Amazilia amabilis*, 304-326
- A. tzacatl*, 304-326
- A. amazonica*, 958-972
- Amazona auropalliata*, 958-972
- Ama. autumnalis*, 304-326
- Ama. farinosa*, 304-326
- Amblycercus holosericeus*, 304-326
- Ammodrammus leconteii*, 11-15, 24-34, 765-769
- Amm. nelsoni*, 765-769
- Amm. savannarum*, 11-15, 24-34, 765-769
- Amm. bairdii*, 11-15, 24-34, 765-769
- Amm. henslowii*, 11-15, 422-431, 832-837
- Anas acuta*, 290-303
- An. superciliosa pelewensis*, 472-483
- Anava, Avner, et al., 519-524, 525-528
- Ani, Groove-billed, 304-326
- Ankney, C. Davidson, see Badzinski, Shannon S., et al.
- Anomalous Variation in Mitochondrial Genomes of White-crowned (*Zonotrichia leucophrys*) and Golden-Crowned (*Z. articapilla*) Sparrows: Pseudogenes, Hybridization, or Incomplete Lineage Sorting?, 224-231
- Anseranas semipalmata*, 137-146
- Antbird, Bare-crowned, 304-326; Bicolored, 304-326; Chestnut-backed, 304-326; Dusky, 304-326; Ocellated, 304-326; Spotted, 304-326; Stripe-backed, 457-471; White-bellied, 191-210
- Anthrocothorax prevostii*, 304-326
- Anthus spragueii*, 765-769
- Antpitta, Ochre-fronted, 334-341; Streak-chested, 304-326; Thicket, 304-326
- Antshrike, Barred, 304-326; Fasciated, 304-326; Great, 304-326
- Ant-Tanager, Red-throated, 304-326
- Anthrush, Black-faced, 304-326
- Antvireo, Streak-crowned, 304-326
- Antwren, Checker-throated, 304-326; Dot-winged, 304-326; White-flanked, 304-326
- Aphanotriccus capitalis*, 304-326
- Aphelocoma coerulescens*, 137-146, 242-248, 525-528
- Aplonis grandis grandis*, 472-483

## Index to Volume 118



The Auk 118(4):1124-1140, 2001

COMPILED BY BRADLEY R. PLUMMER AND REBECCA M. BRAUCHT

The index is confined primarily to new information. Previously published information referred to in this volume has not been included unless extensive comparisons or reinterpretations are involved. New specific names are printed in **boldface** type.

- 100 Years Ago in The American Ornithologists' Union, 281, 572, 817, 1121
- Abraham, Kenneth F., see Badzinski, Shannon S., et al.
- Abundance, of forest birds, 589-610; Swainson's Warbler, 650-664
- Accipiter imitator*, 472-483
- A. novaehollandiae rufoschistaceus*, 472-483
- A. superciliosus*, 304-326
- A. cooperi*, 1095-1101
- A. gentilis*, 352-365
- A. nisus*, 352-365
- A. nisus*, 996-1007
- Aceros plicatus*, 916-933
- Ac. plicatus harterti*, 472-483, 916-933
- Acrocephalus arundinaceus*, 147-155
- Acr. scirpaceus*, 534-538, 776-780
- Acr. scirpaceus*, 698-708
- Actitis hypoleucos*, 472-483
- Activity Patterns and Effect of Ticks on Growth and Survival of Tropical Roseate Tern Nestlings, 709-716
- Adenylate kinase intron 5, 248-255
- Adenylate Kinase Intron 5: A New Nuclear Locus for Avian Systematics, 242-248
- Adrenocortical response to stress in Semipalmated Sandpipers, 79-91
- Adult survival in Ovenbirds, 380-388
- Aegothales insignis*, 248-255
- Afik, Daniel, see Ciminari, M. Eugenia, et al.
- Afpavo congensis*, 799-804
- Age and Recruitment in Cassin's Auklets, 996-1007
- Age and Reproduction in Lesser Spotted Woodpeckers (*Dendrocopos Minor*), 624-635
- Agelaius phoeniceus*, 16-23, 24-34, 147-155, 231-236, 268-269, 765-769, 983-995
- A. phoeniceus*, 272-274
- Ahumada, Jorge A., 191-210
- Aimophila aestivalis*, 832-837
- Aix sponsa*, 650-664
- Alatalo, Rauno V., see Rätti, Osmo et al.
- Albatross, Wandering, 996-1007
- Alca torda*, 404-411, 996-1007, 1076-1080
- Alcedo atthis salomonensis*, 472-483
- Alectoris chukar*, 799-804
- Ale. rufa*, 799-804
- Almeida, Juliana B., and Macedo, Regina H., 404-411
- Altshur, Douglas L., and Nunn, Andrea M., 795-799
- Amaurornis moluccanus nigrifrons*, 472-483
- Amazilia amabilis*, 304-326
- A. tzacatl*, 304-326
- A. amazonica*, 958-972
- Amazona auropalliata*, 958-972
- Ama. autumnalis*, 304-326
- Ama. farinosa*, 304-326
- Amblycercus holosericeus*, 304-326
- Ammodrammus leconteii*, 11-15, 24-34, 765-769
- Amm. nelsoni*, 765-769
- Amm. savannarum*, 11-15, 24-34, 765-769
- Amm. bairdii*, 11-15, 24-34, 765-769
- Amm. henslowii*, 11-15, 422-431, 832-837
- Anas acuta*, 290-303
- An. superciliosa pelewensis*, 472-483
- Anava, Avner, et al., 519-524, 525-528
- Ani, Groove-billed, 304-326
- Ankney, C. Davidson, see Badzinski, Shannon S., et al.
- Anomalous Variation in Mitochondrial Genomes of White-crowned (*Zonotrichia leucophrys*) and Golden-Crowned (*Z. articapilla*) Sparrows: Pseudogenes, Hybridization, or Incomplete Lineage Sorting?, 224-231
- Anseranas semipalmata*, 137-146
- Antbird, Bare-crowned, 304-326; Bicolored, 304-326; Chestnut-backed, 304-326; Dusky, 304-326; Ocellated, 304-326; Spotted, 304-326; Stripe-backed, 457-471; White-bellied, 191-210
- Anthrocothorax prevostii*, 304-326
- Anthus spragueii*, 765-769
- Antpitta, Ochre-fronted, 334-341; Streak-chested, 304-326; Thicket, 304-326
- Antshrike, Barred, 304-326; Fasciated, 304-326; Great, 304-326
- Ant-Tanager, Red-throated, 304-326
- Anthrush, Black-faced, 304-326
- Antvireo, Streak-crowned, 304-326
- Antwren, Checker-throated, 304-326; Dot-winged, 304-326; White-flanked, 304-326
- Aphanotriccus capitalis*, 304-326
- Aphelocoma coerulescens*, 137-146, 242-248, 525-528
- Aplonis grandis grandis*, 472-483

- Apl. cantoroides*, 472-483  
*Apl. metallica nitidus*, 472-483  
*Aptenodytes forsteri*, 290-303  
*Aquila verreauxi*, 1095-1101  
*Ara ambigua*, 304-326  
*Aracari*, Collared, 304-326  
*Aramides cajanea*, 304-326  
*Aratinga acuticaudata acuticaudata/hemorrhous*, 457-471  
*Ara. finschi*, 304-326  
*Ara. nana*, 304-326  
*Archilochus colubris*, 589-610, 795-799, 1018-1028  
*Ardea albus*, 508-513  
*Ard. herodias*, 508-513  
*Ardeola ibis*, 709-716  
*Ardia*, Daniel R., and Bildstein, Keith L., 746-750  
*Area Requirements of Grassland Birds: A Regional Perspective*, 24-34  
*Area sensitivity*, of Baird's Sparrow, 24-34; Bobolinks, 24-34; Clay-colored Sparrows, 24-34; Eastern Meadowlark, 24-34; Northern Harriers, 24-34; Sedge Wren, 24-34; Western Meadowlark, 24-34  
*Armstrong*, Margaret H., et al., 799-804  
*Arremon aurantirostris*, 304-326  
*Arremonops conirostris*, 304-326  
*Artificial nests*, 105-115  
*Assortative mating*, of *Pyrrhocorax graculus*, 553-556; of *Tyrannus forficatus*, 167-175  
*Atelornis crossleyi*, 849-863  
*A. pittoides*, 849-863  
*Atilla*, Bright-rumped, 304-326  
*Attila spadiceus*, 304-326  
*Auklet*, Cassin's, 709-716, 996-1007, 1036-1046  
*Aulacorhynchus prasinus*, 916-933  
*A. sulcatus*, 916-933  
*Automolus ochrolaemus*, 304-326  
*Aviceda subcristata gurneyi*, 472-483  
*Avocet*, American, 484-495, 1072-1076; Pied, 1072-1076  
*Aythya ferina*, 717-726  
*A. fuligula*, 717-726  
*A. valisineria*, 717-726, 1008-1017  
*Avoidance of edge*, by grassland birds, 24-34; by Ovenbirds, 380-388  
*Babbler*, Arabian, 519-524, 525-528; Arrow-marked, 525-528; Bare-cheeked, 525-528; Jungle, 525-528; Common, 525-528  
*Bäckman*, Johan, see Ottoson, Ulf, et al.  
*Badzinski*, Shannon S., et al., 687-697  
*Baglione*, Vittorio, see Ekman, Jan, et al.  
*Bailloni*, 916-933  
*Bajema*, Robb A., et al., 422-431  
*Bambusicola thoracica*, 799-804  
*Bannaquit*, 304-326  
*Baptista*, Luis Felipe, 1941-2000, In Memoriam, 496-499  
*Barbthroat*, Band-tailed, 304-326  
*Bartramia longicauda*, 24-34  
*Baryphthengus martii*, 304-326  
*Bates*, John M., see Kirchman, Jeremy J., et al.  
*Bayne*, Erin M., and Hobson, Keith A., 380-388  
*Baza*, Pacific, 472-483  
*Bears*, Heather, see Pierre, Johanna P., et al.  
*Becard*, Cinnamon, 304-326; White-winged, 304-326  
*Bech*, Claus, see Østnes, Jan Eivind, et al.  
*Bee-eater*, Colonial, 525-528  
*Bellbird*, Three-wattled, 304-326  
*Belthoff*, James R., see Herting, Brian L., and —  
*Benson*, Anna-Marie, and Winker, Kevin, 513-519  
*Bentbill*, Northern, 304-326  
*Bermingham*, Eldredge, see Hunt, Jeffery S., et al.  
*Bermingham*, Eldredge, see Lovette, Irby J., and —  
*Bertran*, Joan, see Margalida, Antoni, and —  
*Bickal*, Jean M., see Hartup, Barry K., et al.  
*Bildstein*, Keith L., see *Ardia*, Daniel R., and —  
*Bird Migration through a Mountain Pass*, 389-403  
*Blackbird*, 272-274; Red-winged, 16-23, 24-34, 147-155, 231-236, 268-269, 765-769, 983-995  
*Blackcap*, 665-677  
*Blackwell-Rago*, Rachele C., see Weckstein, Jason D., et al.  
*Blake*, John G., and Loiselle, Bette A., 304-326  
*Bluebird*, Eastern, 147-155, 743-745  
*Bluethroat*, 698-708  
*Blums*, Peter, see Dugger, Bruce D., and —  
*Bobolink*, 11-15, 24-34, 147-155, 765-769  
*Bogliani*, Giuseppe, see Sergio, Fabrizio, and —  
*Bombicilla cedrorum*, 389-403, 819-831, 1080-1088  
*Bonasa umbellus*, 1080-1088  
*Bowler*, John, see Ramos, Jamie A., et al.  
*Boyd*, Sean, see Hull, Cindy L., et al.  
*Bozinovic*, Francisco, see Rezende, Enrico L., et al.  
*Brachypteracias leptosomus*, 849-863  
*B. squamigera*, 849-863  
*Brachyramphus marmoratus*, 1036-1046  
*Bradbury*, Jack W., et al., 958-972  
*Brand*, L. Arriana, and George, T. Luke, 678-686  
*Brant*, Black, 500-503, 1088-1095  
*Branta bernicla nigricans*, 500-503, 888-889; success, 709-716, 1036-1046; success of *Ficedula hypoleuca*, 750-755  
*B. canadensis*, 290-303, 687-697  
*B. leucopsis*, 624-635  
*Braun*, Edward L., see *Armstrong*, Margaret H., et al.  
*Breeding Bird Survey (BBS)*, 11-15  
*Breeding*, age of first, 996-1007; cooperative, 1-10, 525-528; habitat quality, 636-649; performance, 624-635; site fidelity, 539-543, 888-889; success, 709-716, 1036-1046; success of *Ficedula hypoleuca*, 750-755  
*Brierley*, Andrew S., and Fernandes, Paul G., 529-534  
*Brisbin*, I. Lehr, Jr., see Bryan, A. Larry, Jr., et al.  
*Brood parasitism*, 24-34, 534-538, 717-726, 776-780, 864-873; anti-brood-parasite behavior, 776-780  
*Brooks*, Thomas, and Thompson, Hazell Shokeilu, 575-582  
*Brotogetis jugularis*, 304-326  
*Bruner*, Andrea E., see Johnson, Oscar W., et al.

- Bruner, Jay J., see Johnson, Oscar W., et al.  
 Bryan, A. Larry, Jr., et al. 508-513  
*Bubo virginianus*, 137-146, 352-365, 557-562  
*Bucephala albeola*, 224-230  
*Buc. clangula*, 224-230, 770-775  
 Budgerigar, 795-799, 958-972, 1080-1088  
 Bufflehead, 224-230  
 Bunting, Indigo, 237-242, 611-623, 864-873, 1018-1028; Lark, 24-34; Lazuli, 272-274, 611-623; Leclancher's (Orange-breasted), 611-623; Rosita's (Rose-breasted), 611-623; Varied, 611-623  
 Burger, Alan E., 755-759  
 Burhans, Dirk E., see Strausberger, Bill M., and —  
 Burhans, Dirk E., and Thompson, Frank R. III, 237-242  
 Bush-hen, Rufous-tailed, 472-483  
*Buteo albicaudatus*, 1095-1101  
*B. lagopus*, 248-255  
*B. lineatus*, 271-272  
*B. platypterus*, 271-272  
  
*Cinclocerthia ruficauda*, 35-55  
*Cacatua ducorpsii*, 472-483  
*Cacatua galerita*, 958-972  
 Cachalote, Rufous, 457-471  
*Cacicus uropygialis*, 304-326  
 Cacique, Scarlet-rumped, 304-326; Yellow-billed, 304-326  
*Cacomantis variolosus addendus*, 472-483  
*Calamospiza melanocorys*, 24-34  
*Calcarius ornatus*, 24-34, 765-769  
*C. pictus*, 11-15  
*Calcarius* spp., 11-15, 105-115  
*Calidris canutus*, 79-81  
*C. mauri*, 79-91, 484-495  
*C. minuta*, 484-495  
*C. minutilla*, 484-495  
*C. pusilla*, 79-91  
*Calocitta formosa*, 137-146  
*Calonectris diomedea*, 242-248, 755-759  
*Calypte costae*, 1080-1088  
*Calyptorhynchus funereus*, 958-972  
*Campephilus guatemalensis*, 304-326  
*Campylorhynchus zonatus*, 304-326  
 Cannet, Cape, 529-534  
 Canvasback, 717-726, 1008-1017  
*Capsiempis flaveola*, 304-326  
 Cardinal, Northern, 237-242, 864-873, 1018-1028  
*Cardinalis cardinalis*, 237-242, 864-873, 1018-1028  
*Carduelis tristis*, 389-403  
*Carpodacus mexicanus*, 147-155, 256-260, 260-266, 290-303, 327-333, 900-915  
*C. mexicanus frontalis*, 900-915  
*C. mexicanus griscomi*, 900-915  
*C. purpureus*, 389-403, 589-610  
*Carpodectes nitidus*, 304-326  
*Caryothraustes poliogaster*, 304-326  
 Catbird, Black, 35-55; Gray, 35-55, 304-326, 1018-1028  
 Cate, Carl Ten, see Johnson, Kevin P., et al.  
*Catharacta macconnicki*, 636-649  
*Cathartes aura*, 304-326  
*Catharus bicknelli*, 16-23, 389-403, 832-837  
*C. fuscescens*, 304-326, 832-837, 838-848  
*C. guttatus*, 105-115, 277-278, 389-403, 1018-1028  
*C. minimus*, 16-23, 304-326, 832-837, 838-848  
*C. occidentalis*, 838-848  
*C. ustulatus*, 16-23, 304-326, 513-519, 678-686  
*Catoptrophorus semipalmatus*, 24-34  
*Catreues wallichi*, 799-804  
 Caviedes-Vidal, Enrique, see Ciminari, M. Eugenia, et al.  
 Cavity nest, characteristics of, 412-421  
*Celeus castaneus*, 304-326  
*C. loricatus*, 304-326  
*Cephalopterus glabricollis*, 304-326  
*Cercomacra tyrannina*, 304-326  
*Certhia americana*, 678-686, 819-831  
*Certhilauda curvirostris*, 575-582  
*Ceryle rudis*, 242-248  
*C. torquata*, 304-326  
*Ceyx lepidus meeki*, 472-483  
*Ce. pusillus bougainvillei*, 472-483  
 Chachalaca, Gray-headed, 304-326; Plain, 799-804  
*Chaetura pelagica*, 832-837  
*Chalcophaps stephani mortoni*, 472-483  
*Chalcopsitta cardinalis*, 472-483  
*Chalybura urochrysis*, 304-326  
*C. urochrysis*, 304-326  
*Chamaea fasciata*, 678-686  
 Chat, Yellow-breasted, 237-242  
*Chen caerulescens caerulescens*, 687-697  
 Chickadee, Black-capped, 389-403; Boreal, 389-403; Chestnut-backed, 678-686; Mountain, 412-421  
 Chiffchaff, 404-411  
 Chimney Swift, 274-277  
*Chiroxiphia lanceolata*, 191-210  
*Chloris chloris*, 795-799  
*Chloroceryle aenea*, 304-326  
*C. amazona*, 304-326  
*Chlorophanes spiza*, 304-326  
*Chlorothraupis carmioli*, 304-326  
*Chordeiles minor*, 832-837  
 Chough, Alpine, 553-556; White-winged, 1-10  
*Chrysococcyx l. lucidus*, 472-483  
 Chukar, 799-804  
 Cicadabird, Slender-billed, 472-483  
*Cichlherminia lherminieri Turdidae*, 35-55  
 Cichon, Mariusz, 550-552  
*Cinnurus magnificus*, 248-255  
 Ciminari, M. Eugenia, et al., 1101-1107  
*Cinclocerthia gutturalis*, 35-55  
*Circus cyaneus*, 24-34  
*Cistothorus platensis*, 11-15, 24-24, 765-769  
*Cladorhynchus leucocephalus*, 1072-1076  
*Claravis pretiosa*, 304-326  
 Clark, Robert G., see Rangen, Sheila A., et al.  
 Clarke, Alice L., et al., 534-538

- Clayton, Dale H., see Johnson, Kevin P., et al.  
 Clemmons, Janine R., see Bradbury, Jack W., et al.  
 Clutch size, 973-982  
*Coccothraustes vespertinus*, 389-403  
*Coccyzus americanus*, 1018-1028  
 Cockatoo, Black, 958-972; Ducorps's, 472-483; White, 958-972  
 Cody, Martin L., 443-456  
*Coereba flaveola*, 211-215, 304-326  
*Colaptes auratus*, 389-403, 412-421  
*Colinus castanotus*, 916-933  
*C. striatus*, 916-933  
 Collins, Scott, 583-588  
*Collocalia esculenta*, 472-483  
*C. spodiopygia reichenowii*, 472-483  
*C. vanikorensis vanikorensis*, 472-483  
*Colluricincla*, 248-255  
*Colluricincla megarhyncha*, 248-255  
*Colonia colonus*, 304-326  
 Colony and Population Dynamics of Black-legged Kittiwakes in a Heterogeneous Environment, 636-649  
*Columba arquatrix*, 874-887  
*C. cayennensis*, 304-326  
*C. fasciata*, 874-887  
*C. flavirostris*, 304-326  
*C. guinea*, 874-887  
*C. leucocephala*, 874-887  
*C. livia*, 874-887  
*C. livia*, 795-799  
*C. nigrirostris*, 304-326  
*C. oenops*, 874-887  
*C. palumbus*, 874-887  
*C. plumbea*, 874-887  
*C. pulchrichollis*, 874-887  
*C. rupestris*, 874-887  
*C. speciosa*, 304-326  
*C. speciosa*, 874-887  
*C. subvinacea*, 874-887  
*Columbina talpacoti*, 304-326  
 Commentary, 256-267  
 Comparative Fuel Use Of Migrating Passerines: Effects of Fat Stores, Migration Distance, and Diet, 665-677  
 Comparison of the Reproductive Biology of Two Neotropical Wrens in an Unpredictable Environment in Northeastern Colombia, 191-210  
 Composition of Eggs and Neonates of Canada Geese and Lesser Snow Geese, 687-697  
 Congener, North American, 231-236  
 Conjunctivitis, avian, 290-303, 327-333; in House Finches, 327-333  
 Conner, Richard N., et al., 219-224  
*Conopias albocincta*, 304-326  
 Consequences of Dominance-Mediated Habitat Segregation in American Redstarts During the Nonbreeding Season, 92-104  
 Conservation, implementation of, 575-582; of grassland birds, 422-431; planning site-specific, 575-582  
*Contopus cooperi*, 832-837  
*C. sordidulus*, 116-136  
*C. virens*, 304-326, 589-610, 1018-1028  
*Conuropsis carolinensis*, 277-278  
 Cooke, Fred, see Hull, Cindy L., et al.  
 Coot, American, 290-303  
*Coracias garrulus*, 849-863  
*C. caledonica welchmani*, 472-483  
*C. caledonica welchmani*, 472-483  
*C. holopolia holopolia*, 472-483  
*C. lineata nigrifrons*, 472-483  
*C. papuensis perpallada*, 472-483  
*C. tenuirostris saturator*, 472-483  
*Corapipo altera*, 304-326  
*Corcorax melanorhamphus*, 11-15  
 Cormorant, Double-crested, 983-995  
 Cortopassi, Kathryn A., see Bradbury, Jack W., et al.  
*Corvus brachyrhynchos*, 389-403, 864-873, 1018-1028  
*C. corax*, 389-403, 636-649, 678-686  
*C. corone*, 179-190  
*C. woodfordi vegetus*, 472-483  
 Cotinga, Snowy, 304-326  
*Coturnix japonica*, 105-115, 242-248, 352-365  
 Coulson, Robert N., see Conner, Richard N., et al.  
 Cowbird, Bay-winged, 457-471; Brown-headed, 11-15, 24-34, 156-166, 237-242, 277-278, 534-538, 589-610, 765-769, 770-776, 776-780, 864-873, 1018-1028, 1057-1062  
 Crane, White-throated, 304-326  
 Crane, Whooping, 290-303  
*Crax pauxi*, 799-804  
*C. rubra*, 304-326  
 Creeper, Brown, 678-686, 819-831  
 Crock, J. G., see Larison, James R., et al.  
 Crossbill, White-winged, 92-104  
*Crossoptilon crossoptilon*, 799-804  
*Crotophaga sulcirostris*, 304-326  
 Crow, American, 389-403, 864-873, 1018-1028; Carrion, 176-190; White-billed, 472-483  
 Cryptic New Species of Flycatcher (Tyrannidae: *Suiriri*) from the Cerrado Region of Central South America, 56-78  
*Cryptosylvicola* gen. nov., 575-582  
*Crypturellus boucardi*, 304-326  
*C. soui*, 304-326  
 Cuckoo, Brush, 472-483; Common, 534-538, 770-776, 776-780; Golden Bronze, 472-483; Squirrel, 304-326; Striped, 191-210; Yellow-billed, 1018-1028  
 Cuckoo-Dove, Mackinlay's, 472-483  
 Cuckoo-shrike, Melanesian, 472-483; Solomon Islands, 472-483; White-bellied, 472-483; Yellow-eyed, 472-483  
*Cuculus canorus*, 534-538, 770-776, 776-780  
 Curassow, Great, 304-326  
 Curlew, Bristle-thighed, 342-351

- Currassow, Helmeted, 799–804  
 Current Bird Conservation Issues in Africa, 575–582  
*Cyanerpes lucidus*, 304–326  
*Cyanocitta cristata*, 224–230, 389–403, 589–610, 864–873, 1018–1028  
*C. stelleri*, 678–686  
*Cyanocompsa cyanoidea*, 304–326  
*Cyanocorax morio*, 304–326  
*C. yncas*, 11–15  
*Cymbilaimus lineatus*, 304–326  
 Cynthia Carey, 268–269  
*Cyphorhinus phaeocephalus*, 304–326  
*Cyrtonyx montezumae*, 799–804  
 Cytochrome-b Perspective on Passerina Bunting Relationships, 611–623  
  
*Dacnis cayana*, 304–326  
*Dacnis*, Blue, 304–326  
 Dale, James, see Lank, David B.  
 Daly, James L., see Bryan, A. Larry Jr., et al.  
 Davis, Craig A., and Smith, Loren M.  
 Davis, Laura, see Ramos, Jamie A., et al.  
 De Kort, Selvino, see Johnson, Kevin P., et al.  
 Dearborn, Donald C., and Sanchez, Laura L., 1052–1057  
 Dechesne, Sharon, see Verboven, Nanette et al.  
*Deconychura longicauda*, 304–326  
 Degen, A., Allen, see Anava, Avner et al.  
 Dein, F. Joshua, see Friend, Milton et al.  
 Del Rio, Carlos Martínez, see Levey, Douglas J., and —  
 Delestrade, Anne, 553–556  
*Dendragapus obscurus*, 996–1007  
*Dendrocincla fuliginosa*, 304–326  
*Dendrocolaptes sanctithomae*, 304–326  
*Dendrocopos minor*, 624–635  
*Dendrocopos major*, 916–933  
*Dendroica adelaidae*, 211–215  
*D. caerulescens*, 16–23, 389–403, 544–549, 583–588, 1018–1028,  
*D. caerulescens*, 380–388  
*D. castanea*, 304–326, 389–403  
*D. cerulea*, 304–326, 727–735, 832–837  
*D. chrysoparia*, 832–837, 1052–1057  
*D. coronata*, 79–91, 389–403, 513–519, 819–831, 1101–1107  
*D. fusca*, 304–326, 389–403  
*D. kirtlandii*, 832–837  
*D. magnolia*, 277–278, 304–326, 389–403  
*D. occidentalis*, 678–686  
*D. pennsylvanica*, 304–326, 389–403  
*D. petechia*, 105–115, 389–403, 776–780,  
*D. pinus*, 1101–1107  
*D. striata*, 389–403, 513–519  
*D. tigrina*, 211–215  
*D. virens*, 389–403, 1018–1028  
 Dervan, Anne A., see Stanback, Mark T., and —  
 DeVault, Travis L., see Bajema, Robb A., et al.  
 Dewey, Sarah R., and Kennedy, Patricia L., 352–365  
 Dhondt, Andre A., see Hartup, Barry K., et al.  
*Dicaeum aeneum aeneum*, 472–483  
 Dickcissel, 11–15, 105–115  
 Dierenfeld, Ellen S., see Pryor, Gregory, et al.  
 Diet shifting, 1101–1107  
 Dimorphism, sexual size, 56–78, 457–471, 553–556  
 Dinwoodey, Karen, see Johnson, Kevin P., et al.  
*Diomedea exulans*, 996–1007  
 DiQuinzio, Deborah A., et al., 888–889  
 Dispersal, 544–549; among breeding sites, 16–23; distances, 539–543; patterns, 888–889; of Magpies, 137–146; of *Pica hudsonia*, 137–146  
 Diving Depths of Shearwaters, 755–759  
*Dolichonyx oryzivorus*, 11–15, 24–34, 147–155, 765–769  
 Dolarbird, 472–483  
 Dove, Blue Ground, 304–326; Claret-breasted Fruit, 472–483; Gray-chested, 304–326; Mourning, 24–34; Rock, 795–799; Stephan's, 472–483; Zenaida, 795–799  
 Dowitcher, Long-billed, 484–495  
 Drepanidinae, 35–55  
*Dryocopus lineatus*, 304–326  
*D. pileatus*, 589–610  
 Duck, Pacific Black, 472–483; Tufted, 717–726; Wood, 650–664  
*Ducula rubricera rufigula*, 472–483  
 Dugger, Bruce D., and Blums, Peter, 717–726  
 Dumbacher, John P., see Shapiro, Leo H., and —  
*Dumetella carolinensis*, 35–55, 304–326, 1018–1028  
*Dysithamnus striaticeps*, 304–326  
  
 Eagle, Bald, 277–278, 636–649; Verreaux's, 1095–1101  
 Eckelberry, Don Richard, 1921–2001, In Memoriam, 736–739  
*Eclectus roratus solomonensis*, 472–483  
 Eddleman, William R., see DiQuinzio, Deborah A., et al.  
 Edge effects, 11–15, 105–115  
 Edge sensitivity, 678–686  
 Effect of Conspecific Brood Parasitism on Host Fitness for Tufted Duck and Common Pochard, 717–726  
 Eggers, Sönke, see Ekman, Jan, et al.  
 Egret, Cattle, 709–716; Great, 508–513; Pacific Reef, 472–483  
*Egretta sacra sacra*, 472–483  
 Eider, Common, 290–303; Spectacled, 290–303  
 Ekman, Jan, et al., 1–10  
*Elaenia chiriquensis*, 56–78  
*Elaenia*, Lesser, 56–78  
*Electron platyrhynchum*, 304–326  
 Elliott Coues Award, 2000—Thomas E. Martin, 269–270  
*Emberiza citrinella*, 147–155  
*Empidonax alnorum*, 513–519  
*E. difficilis*, 678–686  
*E. flaviventris*, 304–326  
*E. hammondii*, 513–519



- E. minimus*, 589-610  
*E. oberholseri*, 116-136  
*E. traillii brewsteri*, 366-379  
*E. traillii campestris*, 366-379  
*E. traillii extimus*, 366-379  
*E. traillii traillii*, 366-379  
*E. traillii*, 116-136  
*E. traillii adustus*, 366-379  
*E. traillii extimus*, 272-274, 304-326, 366-379  
*E. virescens*, 116-136, 304-326, 864-873, 1018-1028  
 Endocrinology, 283-289  
 Energetics of Avian Frugivores, 916-933; of Rufous-tailed Plancutter (*Phytotoma rara*), 781-785; of self-feeding shorebird chicks, 944-957; of tropical frugivores, 916-933  
 Engstrom, Todd, 1108-1120  
 Ens, Bruno, J., see Verbovan, Nanette, et al.  
 Eos bornea, 1080-1088  
 Epplen, J  rge Thomas, see Quillfeldt, Petra, et al.  
*Erethacus rubecula*, 698-708  
*Eudocimus albus*, 508-513  
*Eudynamis scolopacea alberti*, 475-483  
*Euphonia gouldi*, 304-326  
*Euphonia luteicapilla*, 304-326  
*Euphonia minuta*, 304-326  
*Euphonia*, Olive-backed, 304-326; White-vented, 304-326; Yellow-crowned, 304-326  
*Eurystomus glaucurus*, 849-863  
*E. orientalis*, 849-863  
*E. orientalis solomonensis*, 472-483  
*Eutoxeres aquila*, 304-326  
*Eu. aquila* as pollinator, 304-326  
*Eutriorchis astur*, 575-582  
 Extrapair copulations, of Pied Flycatcher (*Ficedula hypoleuca*), 147-155; Carolina Wrens (*Thryothorus ludovicianus*), 215-219  
  
*F. analis*, 304-326  
 Factors Governing the Distribution of Swainson's Warbler along a Hydrological Gradient in Great Dismal Swamp, 650-664  
 Fairy, Purple-crowned, 304-326  
 Fairy-wren, Splendid, 888-889  
*Falcapennis canadensis*, 799-804  
*Falco columbarius*, 557-562  
*F. femoralis*, 248-255  
*F. peregrinus*, 636-649  
*F. severus*, 472-483  
*F. sparverius*, 746-750  
*F. sparverius*, 79-91, 746-750  
*F. subbuteo*, 1047-1052  
 Falcon, Barred Forest, 304-326; Laughing, 304-326; Peregrine, 636-649  
 Fantail, Rufous, 472-483; White-winged, 472-483  
 Farnsworth, George L., and Simons, Theodore R., 973-982  
 Female Hematozoan Infection Reduces Hatching Success but not Fledging Success in Pied Flycatchers *Ficedula hypoleuca*, 750-755  
  
*Ficedula albicollis*, 550-552  
*F. hypoleuca*, 147-155, 539-543, 750-755, 1069-1072  
 Filardi, Christopher E., see Kratter, Andrew W., et al.  
 Finch, Cactus, 191-210; Galapagos, 35-55, 191-210; House, 147-155, 256-260, 260-266, 290-303, 327-333, 900-915; Purple, 389-403, 589-610; Zebra, 283-289, 958-972  
 Fish-Eagle, Sanford's, 472-483  
 Flatbill, Eye-ringed, 304-326  
 Fleischer, Robert C., see Haggerty, Thomas M., et al.  
 Flicker, Northern, 389-403, 412-421  
 Flint, Paul L., et al. 500-503  
*Florisuga mellivora*, 304-326  
 Flowerpecker, Midget, 472-483  
 Flycatcher, Acadian, 304-326, 864-873, 1018-1028; Alder, 513-519; Boat-billed, 304-326; Chapada, 56-78; Collared, 550-552; Dusky, 116-136; Dusky-capped, 304-326; Fork-tailed, 167-175; Gray-capped, 304-326; Great Crested, 304-326; Hammond's, 513-519; Least, 589-610; Ochre-bellied, 304-326; Olive-sided, 832-837; Olive-striped, 304-326; Pacific-slope, 678-686; Pied, 147-155, 539-543, 750-755, 1069-1072; Piratic, 304-326; Royal, 304-326; Ruddy-tailed, 304-326; Scissor-tailed, 167-175; Sepia-capped, 304-326; Social, 304-326; Steel-blue, 472-483; Suiriri, 457-471; Sulphur-bellied, 304-326; Tawny-chested, 304-326; Tyrant, 56-78; Vermilion, 56-78; White-bearded, 56-78; White-ringed, 304-326; Willow, 272-274, 304-326, 366-379; Yellow-bellied, 304-326; Yellow-margined, 304-326; Yellow-olive, 304-326  
 Foliage-gleaner, Buff-throated, 304-326  
 Foraging behavior, of Buff-breasted Wrens 191-210; of **Chapada Flycatcher**, 56-78; ground foraging ecology, 650-664; nocturnal, 508-513; of Rufous-and-White wrens, 191-210; of shorebirds, 484-495  
 Ford, Thomas B., et al., 864-873  
 Forest fragmentation, 380-388, 864-873  
 Forest-Falcon, Collared, 304-326; Slaty-backed, 304-326  
*Formicarius analis*, 304-326  
*Fratercula arctica*, 352-365, 934-943, 996-1007  
*F. cirrhata*, 934-943  
 Frequency of Egg and Nestling Destruction by Female Brown-headed Cowbirds at Grassland Nests, 765-769  
 Friend, Milton, et al., 290-303  
 Frogmouth, Marbled, 472-483  
 Frugivory, 819-831; protein requirements for, 1080-1088  
 Fruitcrow, Purple-throated, 304-326  
 Fruit-Dove, Superb, 472-483  
 Fry, Adam J., see Klicka, John, et al.  
*Fulica americana*, 290-303  
*F. leucoptera*, 248-255  
 Fulmar, 529-534; Northern, 242-248  
*Fulmarus glacialis*, 242-248, 529-534

Function and Temporal Variation in Use of Ossuaries  
by Bearded Vultures (*Gypaetus barbatus*) During  
the Nestling Period, 785-789

- Galbula ruficauda*, 304-326  
*Gallinula chloropus*, 248-255  
 Gannes, Leonard Z., 665-677  
 Gannet, Northern, 529-534, 983-995  
 Gauthreaux, Sidney A., Jr., see Mizarhi, Davis S., et al.  
*Gavia immer*, 242-248  
*Geobastus squamigerus*, 849-863  
*Geoffroyus heteroclitus heteroclitus*, 472-483  
 George, T. Luke, see Brand, L. Arriana, and —  
*Geospiza scandens*, 191-210  
*Geothlypis semiflora*, 304-326  
*G. trichas*, 24-34, 237-242, 389-403, 765-769, 1018-1028  
*Geotrygon montana*, 874-887  
*Ge. veraguensis*, 304-326  
*Ge. violacea*, 304-326  
*Geronticus eremita*, 575-582  
*Gesopizinae*, 35-55, 191-210  
 Gibbs, H. Lisle, see Woolfenden, Bonnie E., et al.  
 Gilbert, Albert Earl, and Amadon, Dean, 736-739  
*Glaucidium griseiceps*, 304-326  
*Glaucis aenea*, 304-326  
*Glyphorynchus spirurus*, 304-326  
 Gnatcatcher, Blue-gray, 1018-1028; Tropical, 304-326  
 Gnatwren, Long-billed, 304-326; Tawny-faced, 304-326  
 Godwit, Black-tailed, 944-957; Marbled, 24-34  
 Goetz, James E., see Hobson, Keith A., et al.  
 Goldcrest, 698-708  
 Goldeneye, Common, 224-230, 770-775  
 Golden-Plover, American, 342-351; Eurasian, 342-351  
 Goldentail, Blue-throated, 304-326  
 Goldfinch, American, 389-403  
 Goodman, Steven M., see Kirchman, Jeremy J., et al.  
 Goose, Barnacle, 624-635; Canada, 290-303, 687-697; Lesser Snow, 687-697; Magpie, 137-146  
 Goshawk, Gray, 472-483; Northern, 352-365  
 Grackle, Great-tailed, 116-136  
*Grallaria ochraceifrons*, 334-341  
 Granfors, Diane A., et al., 765-769  
 Graspit, Blue-black, 304-326, 404-411  
 Graves, Gary R., 650-664  
 Greenfinch, 795-799  
 Greenlet, Lesser, 304-326; Tawny-crowned, 304-326  
 Greenshank, Common, 472-483  
 Grisser, Michael, see Ekman, Jan, et al.  
 Grosbeak, Black-faced, 304-326; Blue, 611-623; Blue-black, 304-326; Evening, 389-403; Rose-breasted, 304-326, 1018-1028; Slate-colored, 304-326  
 Ground-Barbet, African, 916-933  
 Ground-Cuckoo, Rufous-vented, 304-326  
 Ground-Dove, Ruddy, 304-326  
 Grouse, Blue, 996-1007; Red, 290-303; Ruffed, 1080-1088; Sharp-tailed, 24-34, 799-804; Spruce, 799-804  
 Growth rates, 519-524, 1088-1095; of *Empidonax oberholseri*, 116-136  
*Grus americana*, 290-303  
 Guan, Crested, 304-326  
*Gubernetes yetapa*, 56-78  
 Guineafowl, Helmed, 799-804  
*Guiraca caerulea*, 611-623  
 Gull, Common, 242-248; Glaucous-winged, 934-943; Herring, 290-303, 503-508, 934-943, 996-1007; Mew, 503-508; Western, 996-1007  
*Gymnocichla nudiceps*, 304-326  
*Gymnophis leucaspis*, 304-326  
*Gymnorhinus cyanocephalus*, 137-146  
*Gypaetus barbatus*, 785-789  
*Gyps bengalensis*, 290-303  
*G. indicus*, 290-303  
*Habia fuscicauda*, 304-326  
 Habitat, fragmentation, 24-34, 583-588, 589-610, 678-686; fragmentation and *Dendroica caerulescens*, 544-549; preferences of American Kestrel, 746-750; selection, 11-15, 105-115, 544-549, 557-562, 650-664; selection of by Cerulean Warblers, 727-735; structure and Song Sparrows, 432-442; use, 557-562, 1052-1057  
 Hackett, Shannon J., see Kirchman, Jeremy J., et al.  
*Haematopus ostralegus*, 503-508  
 Haggerty, Thomas M., et al., 215-219  
*Halcyon chloris alberti*, 472-483  
*H. leucopygia*, 472-483  
*H. sancta*, 472-483  
*Haliaeetus leucocephalus*, 277-278, 636-649  
*Ha. sanfordi*, 472-483  
*Haliastur indus flavirostris*, 472-483  
 Hammer, Yellow, 147-155  
 Haramis, G. Michael, et al., 1008-1017  
*Harpagus bidentatus*, 304-326  
 Harrier, Northern, 24-34  
 Harris, Rebecca J., and Reed, J. Michael, 544-549  
*Hartertula flavoviridis*, 849-863  
 Hartshorne, Charles, 1897-2000, In Memoriam, 1034-1035  
 Hartup, Barry K., et al., 327-333  
 Hawk, Broad-winged, 271-272; Cooper's, 1095-1101; Red-shouldered, 271-272; Semiplumbeous, 304-326; Tiny, 304-326; White-tailed, 1095-1101  
 Hawk-Eagle, Black, 304-326  
 Hawk-Owl, Solomon Islands, 472-483  
 Hayes, Floyd E., 457-471  
*Heliothryx barroti*, 304-326  
*Helmitheros vermivorus*, 304-326, 864-873, 1018-1028  
*Hemiprocne mystacea woodfordiana*, 472-483  
*Henicorhina leucophrys*, 191-210  
*H. leucoptera*, 334-341  
*H. leucosticta*, 304-326  
*Heritriccus cinnamomepectus*, 334-341



- Herkert, James R., see Vickery, Peter D., and —  
 Hermit, Bronzy, 304–326; Little, 304–326; Long-tailed, 304–326  
 Heron, Great Blue, 508–513; Night, 508–513  
*Herpethotheres cachinnans*, 304–326  
 Herting, Brian L., and Belthoff, James R., 1095–1101  
 Herzog, Mark P., see Sedinger, James S., et al.  
 Hidden-lek hypothesis, 404–411  
 Hill, Geoffery E., 256–260  
 Hill, Geoffery E., see Inouye, Caron Y., et al.  
*Himantopus himantopus*, 1072–1076  
*H. leucocephalus*, 1072–1076  
*H. mexicanus*, 1072–1076  
 Hipfner, J. Mark, 1076–1080  
*Hirundo tahitica subfusca*, 472–483  
 Hobby, Northern, 1047–1052; Oriental, 472–483  
 Hobson, Keith A., et al., 16–23  
 Hobson, Keith A., see Bayne, Erin M., and —; see Rangen, Sheila A., et al.  
 Holberton, Rebecca, 271–281, 564–571, 805–816; see Mizarhi, Davis S., et al.  
 Holmes, Richard T., and Sherry, Thomas W., 589–610; see Marra, Peter P., and —  
 Homeothermy, 983–995  
 Honeycreeper, Green, 304–326; Hawaiian, 35–55; Shining, 304–326  
 Honeyeater, New Holland, 1080–1088  
 Honza, Marcel, see Clarke, Alice L., et al.  
 Hornbill, Blyth's, 472–483, 916–933  
 House Finch Disease Survey (HFDS), 327–333  
 Hull, Cindy L., et al., 1036–1046  
 Hummingbird, Blue-chested, 304–326; Broad-tailed, 795–799; Costa's, 1080–1088; Ruby-throated, 589–610, 795–799, 1018–1028; Rufous, 795–799; Rufous-tailed, 304–326; Violet-headed, 304–326  
 Hunt, Jeffery S., et al., 35–55  
 Hybridization, 457–471, 611–623  
*Hydrochous*, 274–277  
*Hylocharis eliciae*, 304–326  
*Hylocichla mustelina*, 304–326, 589–610, 864–873, 973–982, 1018–1028, 1080–1088  
*Hyloctistes subulatus*, 304–326  
*Hylopezus dives*, 304–326  
*H. perspicillatus*, 304–326  
*Hylophilus decurtatus*, 304–326  
*Hy. ochraceiceps*, 304–326  
*Hylophylax naevioides*, 304–326  
 Ibis, White, 508–513  
*Icteria virens*, 237–242  
*Icterus dominicensis*, 304–326  
*I. galbula*, 304–326  
*Ictinia plumbea*, 304–326  
 Igl, Lawrence D., see Johnson, Douglas H., and —  
 Imperial-Pigeon, Red-knobbed, 472–483  
 Individual and Seasonal Variation in External Genitalia of Male Tree Swallows, 789–795  
 Inouye, Caron Y., et al., 900–915  
*Iridoprocne bicolor*, 116–136, 147–155, 176–190, 242–248, 432–442, 789–795, 1057–1062, 1069–1072  
 Irons, David B., see Sryan, Robert M., and —  
*Ixoreus naevius*, 678–686  
 Jacamar, Great, 304–326; Rufous-tailed, 304–326  
*Jacamerops aurea*, 304–326  
 Jackson, Jerome A., 1031–1033, 1033–1034  
 Jacobin, White-necked, 304–326  
 Jay, Blue, 224–230, 389–403, 589–610, 864–873, 1018–1028; Brown, 304–326; Gray, 1–10, 137–146; Green, 1–10; Pinyon, 137–146; Siberian, 1–10; Steller's, 678–686  
 Jenni, Lukas, see Schwilch, Regine, and —  
 Jenssen, Bjørn Munro, see Østnes, Jan Eivind, et al.  
 Johnson, Douglas H., and Igl, Lawrence D., 24–34  
 Johnson, Kevin P., et al., 874–887  
 Johnson, Ned K., and Jones, Robert E., 334–341  
 Johnson, Oscar W., et al., 342–351  
 Johnson, Patricia M., see Johnson, Oscar W., et al.  
 Jones, Ian L., see Wiese, Francis K., and —  
 Jones, Jason, 557–562; — and Robertson, Raleigh J., 727–735  
 Jones, Robert E., see Johnson, Ned K., and —  
 Jorde, Dennis G., see Haramis, G. Michael, et al.  
 Joyal, Lisa A., see Granfors, Diane A., et al.  
*Junco caniceps*, 583–588  
*J. hyemalis*, 105–115, 389–403, 513–519, 1080–1088  
 Junco, Dark-eyed, 105–115, 389–403, 513–519, 1080–1088; Gray-headed, 583–588  
 Junglefowl, Red, 799–804  
*Jynx torquilla*, 916–933  
 Kaiser, Gary W., see Hull, Cindy L., et al.  
 Kam, Michale, see Anava, Avner, et al.  
 Karasov, William H., see Ciminari, M. Eugenia, et al.  
 Kennedy, Patricia L., see Dewey, Sarah R., and —  
 Kestrel, American, 79–91, 746–750  
 Kilham, Lawrence, 1910–2000, In Memoriam, 1031–1033  
 Kimball, Rebecca T., see Armstrong, Margaret H., et al.  
 Kingbird, Eastern, 24–34, 304–326, 832–837  
 Kingfisher, Amazon, 304–326; American Pygmy, 304–326; Collared, 472–483; Common, 472–483; Little, 472–483; Pied, 242–248; Ringed, 304–326; Sacred, 472–483; Ultramarine, 472–483; Variable, 472–483  
 Kinglet, Golden-crowned, 389–403, 676–686; Ruby-crowned, 389–403, 513–519  
 Kirchman, Jeremy J., et al., 849–863  
 Kirk, Morgan T., see Sedinger, James S., et al.  
 Kiskadee, Great, 304–326  
 Kite, Brahminy, 472–483; Double-toothed, 304–326; Gray-headed, 304–326; Plumbeous, 304–326  
 Kittenhawk, 352–365  
 Kittiwake, Black-legged, 636–649  
*Klais guimeti*, 304–326  
 Kleptoparasitism, 934–943

- Klicka, John, et al. 611–623  
 Knot, Red, 79–91  
 Koel, Asian, 472–483  
 Kollias, George V., see Hartup, Barry K., et al.  
 Koukol, Matthew A., see Ford, Thomas B., et al.  
 Kratter, Andrew W., et al., 472–483  
 Kulhavy, David L., see Conner, Richard N., et al.
- Lagopus lagopus scoticus*, 290–303  
*L. leucurus*, 557–562, 1057–1062  
*Laniocera rufescens*, 304–326  
 Lank, David B., and Dale, James, 759–765  
 Lapwing, Northern, 944–957  
 Larison, Brenda, et al., 432–442  
 Larison, James R., et al., 1057–1062  
*Larus argentatus*, 290–303, 503–508, 934–943, 996–1007  
*L. canus*, 242–248, 503–508  
*L. glaucescens*, 934–943  
*L. occidentalis*, 996–1007  
*Laterallus albigularis*, 304–326  
 Laymon, Stephen A., see Larison, Brenda, et al.  
 Leafloor, James O., see Badzinski, Shannon S., et al.  
 Leaf-tosser, Scaly-throated, 304–326  
*Legatus leucophaius*, 304–326  
*Lepidocolaptes souleyetii*, 304–326  
*Leptodon cayanensis*, 304–326  
*Leptopogon amaurocephalus*, 304–326  
*Leptosomus discolor*, 849–863  
*L. discolor*, 849–863  
*Leptotila cassini*, 304–326  
*Le. rufaxilla*, 874–887  
*Le. verreauxi*, 874–887  
 Lessela, C. M., see Johnson, Kevin P., et al.  
*Leucopternis semiplumbea*, 304–326  
 Levey, Douglas J., and Del Rio, Carlos Martínez, 819–831  
 Levey, Douglas J., see Pryor, Gregory, et al.  
 Ley, David H., see Hartup, Barry K., et al.  
 Lima, Steven L., see Bajema, Robb A., et al.  
*Limnodromus scolopaceus*, 484–495  
*Limnithlypis swainsonii*, 650–664  
*Limosa fedoa*, 24–34  
*L. limosa*, 944–957
- Linking Breeding and Wintering Grounds of Bicknell's Thrushes using Stable Isotope Analysis of Feathers, 16–23  
*Lipaugus unirufus*, 304–326  
 Lipolysis, 665–677  
 Loiselle, Bette A., see Blake, John G., and —  
 Lombardo, Michael P., 789–795  
 Longspur, 11–15, 105–115; Chestnut-collared, 24–34, 765–769; Smith's, 11–15, 105–115  
 Long-Term Research and the Dynamics of Bird Populations and Communities, 583–588  
 Loon, Common, 242–248  
 López-Calleja, M. Victoria, see Rezende, Enrico L., et al.
- Løppehthin, Bernt H. O. F., 1904–1994, In Memoriam, 1029  
*Lophodytes cucullatus*, 224–230  
 Lorikeet, Rainbow, 472–483  
 Lory, Cardinal, 472–483; Red, 1080–1088  
 Loughheed, Cecilia, see Hull, Cindy L., et al.  
 Loughheed, Lynn, see Hull, Cindy L., et al.  
 Lovette, Irby J., and Bermingham, Eldredge, 211–215  
 Low Initial Refueling Rate at Stopover Sites: A Methodological Effect?, 698–708  
*Loxia leucoptera*, 92–104  
 Lubjuhn, Thomas, see Quillfeldt, Petra, et al.  
 Lundberg, Arne, see Rätti, Osmo, et al.  
*Luscinia luscinia*, 665–677  
*L. megarhynchos*, 665–677  
*Luscinia s. svecica*, 698–708
- Macaw, Great Green, 304–326  
 Macedo, Regina H., see Almeida, Juliana B., and —  
 Macko, Stephen A., see Haramis, G. Michael, et al.  
*Macronyx sharpei*, 575–582  
*Macropygia mackinlayi*, 874–887  
*M. mackinlayi arossi*, 472–483  
*M. tenirostris*, 874–887  
 Magpie, Black-billed, 137–146, 557–562  
 Magpie-Jay, White-throated, 137–146  
*Malaconotus manteiri*, 575–582  
*Malacoptila panamensis*, 304–326  
*Malurus splendens*, 888–889  
*Manacus candei*, 304–326  
*M. candei*, 304–326  
*M. vitellinus*, 283–289  
 Manakin, Golden-collared, 283–289; Lance-tailed, 191–210; Red-capped, 304–326; White-collared, 304–326; White-crowned, 304–326; White-throated, 304–326  
 Mango, Green-breasted, 304–326  
*Manorina melanocephala*, 35–55  
 Margalida, Antoni, and Bertran, Joan, 785–789  
 Margarops, 35–55  
*Margarops fuscatus*, 35–55  
 Martin, Thomas E., 269–270  
*M. fuscus*, 35–55  
*M. glabrirostris*, 35–55  
 Marra, Peter P., and Holmes, Richard T., 92–104  
 Martin, Brown-chested, 832–837; Caribbean, 832–837; Cuban, 832–837; Gray-breasted, 832–837; Purple, 832–837; Sinaloa, 832–837; Southern, 832–837  
 Martin, Philip P., see Sedinger, James S., et al.  
 Mate guarding, 503–508  
 Mateman, A. C., see Johnson, Kevin P., et al.  
 McCarty, John P., 176–190  
 McFarland, Kent P., see Hobson, Keith A., et al.  
 McLean, Robert G., see Friend, Milton, et al.  
 McNab, Brian K., 916–933  
 Meadowlark, Eastern, 11–15, 105–115; Western, 11–15, 24–35, 765–769  
*Megapodius [freycinet] cremita*, 472–483

- Megarynchus pitangua*, 304-326  
*Melampitta*, 248-255  
*M. gigantea*, 248-255  
*Melanerpes formicivorus*, 557-562  
*Me. formicivorus*, 916-933  
*Me. pucherani*, 304-326  
*Melanoptila caerulescens*, 35-55  
*Mel. glabrirostris*, 35-55  
*Melanotis caerulescens*, 35-55  
*Mela. glabrirostris*, 35-55  
*Meleagris gallopavo*, 277-278, 557-562, 799-804  
*Mele. gallopavo var. domesticus*, 1080-1088  
*Melopsittacus undulatus*, 795-799, 958-972, 1080-1088  
*Melospiza lincolni*, 105-115, 513-519  
*Melo. melodia*, 231-236, 283-289, 389-403, 432-442, 765-769,  
 Memorial of Bernt H. O. F. Løppehth, 1029; Charles Hartshorne, 1034-1035; Don Richard Eckelberry, 736-739; George B. Saunders, 1030-1031; Lawrence Kilham, 1031-1033; Luis Felipe Baptista, 496-499; William B. Robertson, Jr., 740-742; Phillips B. Street, 1033-1034  
*Merganser*, Common, 224-230; Hooded, 224-230  
*Mergus merganser*, 224-230  
*Merlin*, 557-562  
*Merops bullockoides*, 525-528  
*Micrastur mirandollei*, 304-326  
*M. ruficollis*, 304-326  
*M. semitorquatus*, 304-326  
*Micropterus quixensis*, 304-326  
*Microbatas cinereiventris*, 304-326  
*Microcerculus philomela*, 304-326  
*Microchela albocoronata*, 304-326  
*Micropodops finschii nanina*, 472-483  
 Middleton, Carole, see Ramos, Jamie A., et al.  
*Mimus*, 35-55  
*M. gilvus*, 35-55  
*M. gundlachi*, 35-55  
*M. polyglottos*, 35-55  
*Mino dumontii krefftii*, 472-483  
*Mionectes oleagineus*, 304-326  
*M. olivaceus*, 304-326  
 Mitochondrial Perspective on the Phylogenetic Relationships of the *Parula* Wood-warblers, 211-215  
*Mitrospingus cassini*, 304-326  
 Mizarhi, Davis S., et al., 79-91  
*Mniotilta varia*, 304-326, 389-403, 589-610  
 Mockingbird, Blue, 35-55; Northern, 35-55; Tropical, 35-55  
 Molecular Systematics and Biogeography of Antillean Thrashers, Tremblers and Mockingbirds (Aves: Mimidae), 35-55  
*Molothrus aeneus*, 248-255  
*M. ater*, 11-15, 24-34, 156-166, 237-242, 248-255, 277-278, 534-538, 589-610, 765-769, 770-776, 776-780, 864-873, 1018-1028, 1057-1062  
*M. badius/fringillarius*, 457-471  
 Monarch, Chestnut-bellied, 472-483  
*Monarcha barbata barbata*, 472-483  
*M. castaneiventris castaneiventris*, 472-483  
*Monasa morphoeus*, 304-326  
 Monjita, White, 457-471  
 Montgomerie, Robert, see Inouye, Caron Y., et al.  
 Morton, Eugene S., see Haggerty, Thomas M., et al.  
 Morton, Martin L., see Pereyra, Maria Elena, and —  
*Morus bassanus*, 983-995  
*M. capensis*, 529-534  
 Mosknes, Arne, see Clarke, Alice L., et al.  
 Motmot, Broad-billed, 304-326; Rufous, 304-326  
 Mourner, Rufous, 304-326; Speckled, 304-326  
 Murre, Common, 529-534, 1076-1080; Thick-billed, 996-1007  
 Murrelet, Ancient, 996-1007; Marbled, 1036-1046  
*Myadestes melanops*, 304-326  
*Mycteria americana*, 508-513  
*M. ibis*, 508-513  
*Myiagra ferrocyanea ferrocyanea*, 472-483  
*Myiarchus cinerascens*, 304-326  
*My. tuberculifer*, 304-326  
*Myiodynastes luteiventris*, 304-326  
*Myiornis atricapillus*, 304-326  
*Myiozetetes granadensis*, 304-326  
*Myi. similis*, 304-326  
 Myna, Yellow-faced, 472-483  
*Myrmeciza exsul*, 304-326  
*M. longipes*, 191-210  
*Myrmorchilus strigilatus suspicax/strigilatus*, 457-471  
*Myrmotherula axillaris*, 304-326  
*My. fulviventeris*, 304-326  
*Myzomela lafargei*, 472-483  
*Myzomela*, Scarlet-naped, 472-483  
 Natal dispersal, 888-889, 996-1007  
*Nectarinia jugularis flavigaster*, 472-483  
 Nelson, Douglas A., see Weckstein, Jason D., et al.  
*Neomorphus geoffroyi*, 304-326  
*Nesoclopeus woodfordi immaculatus*, 472-483  
*Nesoenas mayeri*, 874-887  
 Nest, attendance, 352-365, 503-508; defense of, 1047-1052; desertion of, 770-776, 776-780; parasitism of, 864-873; predation, 1018-1028; site selection, 557-562, 432-442, 727-735; visitation, 1069-1072  
 Nest Desertion by Field Sparrows and its Possible Influence on the Evolution of Cowbird Behavior, 770-776  
 Nesting, success, 11-15, 717-726, 1018-1028; habitat, 1052-1057  
 Nestling Growth and Thermoregulatory Development in Subalpine Dusky Flycatchers, 116-136  
*Netta rufina*, 717-726  
 Nighthawk, Common, 832-837  
 Nightingale, 665-677  
 Nightingale, Thrush, 665-677  
 Nightingale-Thrush, Russet, 838-848  
 Nilsson, Sven G., see Wiklander, Ulf, et al.  
*Ninox jacquinoti jacquinoti*, 472-483

- No Evidence for Effects of Breeding Density and Male Removal on Extrapair Paternity in the Pied Flycatcher, 147-155
- Northura boraquira*, 457-471
- Notharchus macrorhynchos*, 304-326
- Numenius phaeopus*, 472-483
- N. tahitiensis*, 342-351
- Numida meleagris*, 799-804
- Nunbird, White-fronted, 304-326
- Nunn, Andrea M., see Altshur, Douglas L., and —
- Nuthatch, Red-breasted, 389-403, 589-610, 678-686; White-breasted, 389-403, 583-588
- Nycticorax* spp., 508-513
- Nyctidromus albigollis*, 304-326
- Obrtchekewitch, Tim, see Sedinger, James S., et al.
- Observational Learning in Hummingbirds, 795-799
- Oceanites oceanicus*, 242-248
- Oceanodroma leucorhoa*, 1095-1101
- Ochotona princeps*, 242-248
- Odontophorus melanotis*, 304-326
- Øien, Ingar J., see Clarke, Alice L., et al.
- Oilbird, 211-215, 819-831
- Olsson, Ola, see Wiktander, Ulf, et al.
- Oncostoma cinereigulare*, 304-326
- Onychorhynchus coronatus*, 304-326
- Open-population model, 342-351
- Oporornis agilis*, 832-837
- O. formosus*, 304-326
- O. philadelphia*, 304-326
- Oren, David C., see Zimmer, Kevin J., et al.
- Oreortyx pictus*, 799-804
- Oreoscoptes montanus*, 35-55
- Oriole, Baltimore, 304-326; Black-cowled, 304-326
- Ornithion brunneicapillum*, 304-326
- Oropendola, Chestnut-headed, 304-326; Montezuma, 304-326
- Ortalis cinereiceps*, 304-326
- O. vetula*, 799-804
- Oryzoborus funereus*, 304-326
- Osprey, 277-278, 472-483
- Østnes, Jan Eivind, et al., 983-995
- Ottoson, Ulf, et al., 1069-1072
- Otus asio*, 1095-1101
- O. guatemalae*, 304-326
- O. kennicottii*, 1095-1101
- O. rutilus*, 575-582
- O. scops*, 1095-1101
- Ovenbird, 304-326, 380-388, 389-403, 589-610, 864-873, 1018-1028
- Overview, 11-15, 290-303, 583-588, 832-837
- Ovomucoid intron G (OVOG), 799-804
- Owl, Barn, 342-351; Central American Pygmy, 304-326; Great Horned, 137-146, 352-365, 557-562; Scops, 1095-1101
- Owlet, Long-whiskered, 334-341
- Oxylabes madagascariensis*, 849-863
- Oystercatcher, Eurasian, 503-508
- Pachycephala*, 248-255
- P. pectoralis*, 248-255
- P. pectoralis orioloides*, 472-483
- P. scheleglii*, 248-255
- P. soror*, 248-255
- Pachyrhamphus cinnamomeus*, 304-326
- Pa. polychropterus*, 304-326
- Pandion haliaetus cristatus*, 277-278, 472-483
- Panurus biarmicus*, 147-155, 789-795
- Paradisaea*, 248-255
- Par. raggiana*, 248-255
- Parakeet, Blue-crowned, 457-471; Carolina, 277-278; Crimson-fronted, 304-326; Olive-throated, 304-326; Orange-chinned, 304-326; Orange-fronted, 958-972
- Parapatric differentiation model, 457-471
- Parrot, Brown-hooded, 304-326; Eclectus, 472-483; Mealy, 304-326; Orange-winged, 958-972; Pesquet's, 1080-1088; Red-lored, 304-326; Singing, 472-483; White-crowned, 304-326; Yellow-naped, 958-972
- Partridge, Chinese Bamboo, 799-804; Gray, 799-804; Red-legged, 799-804
- Parula americana*, 211-215
- P. gutturalis*, 211-215
- P. pityiuyumi*, 211-215
- P. superciliosa*, 211-215
- Parula*, Tropical, 211-215
- Parus ater*, 242-248
- P. cearensis*, 795-799
- P. major*, 116-136, 176-190, 795-799
- P. palustris*, 795-799
- P. rufescens*, 678-686
- Passer domesticus*, 1080-1088, 1101-1107
- Passerculus sandwichensis*, 11-15, 24-34, 513-519, 765-769
- Passerella iliaca*, 513-519
- Passerina amoena*, 272-274, 611-623
- Pa. cyanea*, 237-242, 611-623, 864-873, 1018-1028
- Pa. leclancherii*, 611-623
- Pa. rositae*, 611-623
- Pa. versicolor*, 611-623
- Paszkowski, Cynthia A., see Pierre, Johanna P., et al.
- Paton, Peter W. C., see DiQuinzio, Deborah A., et al.
- Patterns of Corticosterone Secretion in Migrating Semipalmated Sandpipers at a Major Spring Stopover Site, 79-91
- Pauraque, Common, 304-326
- Pavo cristatus*, 799-804
- P. muticus*, 799-804
- Peafowl, Common, 799-804; Congo, 799-804; Green, 799-804
- Pelacamus erythrorhynchos*, 290-303
- P. occidentalis*, 290-303
- Pelecanoides urinatrix*, 79-91
- Pelican, Brown, 290-303; White, 290-303
- Penelope purpurascens*, 304-326
- Penguin, Adelie, 290-303; Emperor, 290-303
- Perdix perdix*, 799-804

- Pereyra, Maria Elena, and Morton, Martin L., 116-136
- Perisoreus canadensis*, 1-10, 137-146
- P. infaustus*, 11-15
- Person, Brian T., see Sedinger, James S., et al.
- Perspectives in Ornithology, 1-10, 283-289, 575-582, 819-831
- Peter, Hans-Ulrich, see Quillfeldt, Petra, et al.
- Petrel, White-chinned, 755-759
- Petrochelidon pyrrhonota*, 176-190, 583-588
- Phaenostictus mcleannani*, 304-326
- Phaeoprogne tapera*, 832-837
- Phaeothlypis fulvicauda*, 304-326
- Phaethornis longuemareus*, 304-326
- P. superciliosus*, 304-326
- Phalacrocorax aristotelis*, 983-995
- Ph. atriceps*, 983-995
- Ph. auritus*, 983-995
- Phalarope, Wilson's, 24-34
- Phalaropus tricolor*, 24-34
- Phasianus colchicus*, 503-508
- Pheasant, Cheer, 799-804; Koklass, 799-804; White-eared, 799-804
- Phelpsia inornata*, 56-78
- Phaethon ludovicianus*, 304-326, 1018-1028
- Phylloscopus collybita*, 404-411
- Philomachus pugnax*, 759-765
- Phoebe, Eastern, 1018-1028
- Phoenicurus phoenicurus*, 665-667
- Phylidonyris naevahollandiae*, 1080-1088
- Phylogenetic Utility of Avian Ovomuroid Intron G: A Comparison of Nuclear and Mitochondrial Phylogenies in Galliformes, 799-804
- Phytotoma rara*, 781-785
- Playa cayana*, 304-326
- Pica hudsonia*, 137-146, 557-562
- Picathartes*, 575-582
- Picoides borealis*, 219-224
- P. borealis*, 219-224
- Piculus simplex*, 304-326
- Pierre, Johanna P., et al., 224-231
- Pietz, Pamela J., see Granfors, Diane A., et al.
- Pigeon, Pale-vented, 304-326; Pink, 874-887; Red-billed, 304-326; Scaled, 304-326; Short-billed, 304-326
- Pigments, carotenoid, 900-915
- Piha, Rufous, 304-326
- Pika, 242-248
- Pintail, Northern, 290-303
- Pionopsitta haematotis*, 304-326
- Pionus senilis*, 304-326
- Pipit erythrophthalmus*, 1018-1028
- Pipit, Sprague's, 765-769
- Pipra mentalis*, 304-326
- P. mentalis*, 304-326
- P. pipra*, 304-326
- Piprite, Gray-headed, 304-326
- Piprites griseiceps*, 304-326
- Piranga olivacea*, 304-326, 727-735, 1018-1028
- P. rubra*, 304-326, 832-837
- Pitangus sulphuratus*, 304-326
- Pitohui dichrous*, 248-255
- P. kirchocephalus*, 248-255
- Pitta anerythra anerythra*, 472-483
- Pitta*, Black-faced, 472-483
- Plancutter, Rufous-tailed, 781-785
- Platyrinchus coronatus*, 304-326
- Pleads falcinellus*, 248-255
- Plover, Black-Bellied, 342-351; Pacific Golden, 342-351, 472-483
- Plumeleteer, Bronze-tailed, 304-326
- Pluvialis [dominica] fulva*, 342-351, 472-483
- P. apricaria*, 342-351
- P. dominica*, 342-351
- P. squatarola*, 342-351
- Pochard, Common, 717-726; Red-crested, 717-726
- Podargus ocellatus inexpectatus*, 472-483
- Poecile atricapillus*, 389-403
- P. hudsonicus*, 389-403
- Poecilotriccus luluae*, 334-341
- P. ruficeps ruficeps*, 334-341
- P. sylvia*, 304-326
- Poicile gambeli*, 412-421
- Polioptila caerulea*, 1018-1028
- Po. plumbea*, 304-326
- Poocetes gramineus*, 765-769
- Population, decline, 583-588; density, 422-431; density of Buff-Breasted Wrens, 191-210; density of Rufous-and-White Wrens, 191-210; dynamics of American Redstart, 92-104; trends, 583-588, 589-610
- Porphyrio porphyrio samoensis*, 472-483
- Predator Responses to Similarity and Dispersion of Artificial Nest Sites: Implications for the Structure of Boreal Forest Songbird Communities, 105-115
- Preuss, Niels Otto, 1029
- Procellaria aequinoctialis*, 755-759
- Procnias tricarunculata*, 304-326
- Progne chalybea*, 832-837
- P. cryptoleuca*, 832-837
- P. dominicensis*, 832-837
- P. elegans*, 832-837
- P. sinaloae*, 832-837
- P. subis*, 832-837
- Proteolysis, 665-677
- Pruett-Jones, Stephen, see Regosin, Johnathan V., and —
- Pryor, Gregory, et al., 1080-1088
- Psarocolius montezuma*, 304-326
- P. wagleri*, 304-326
- Pseudoseiura cristata unirufa/cristata*, 457-471
- Psittacus erithacus*, 248-255
- Psittichas fulgidus*, 1080-1088
- Ptarmigan, White-tailed, 557-562, 1057-1062
- Pteroglossus aracari*, 916-933
- P. torquatus*, 304-326
- Ptilinopus s. superbus*, 472-483

- Pt. viridis lewisii*, 472-483  
*Ptychoramphus aleuticus*, 709-716, 996-1007, 1036-1046  
*Pucrasia macrolopha*, 799-804  
Puffbird, White-necked, 304-326; White-whiskered, 304-326  
Puffin, Atlantic, 352-365, 934-943, 996-1007; Tufted, 934-943  
*Puffinus griseus*, 755-759  
*P. lherminieri*, 755-759  
*P. opisthomelas*, 755-759  
*P. pacificus*, 755-759  
Pygmy-Parrot, Finsch's, 472-483  
Pygmy-Tyrant, Black-capped, 304-326  
*Pygocelis adalaine*, 290-303  
Pyle, Peter, 996-1007  
*Pyrocephalus rubinus*, 56-78  
*Pyrrhocorax graculus*, 553-556
- Quail, Black-eared Wood, 304-326; Japanese, 105-115, 242-248, 352-365; Montezuma, 799-804; Mountain, 799-804  
Quail-Dove, Olive-backed, 304-326; Violaceous, 304-326  
*Querula purpurata*, 304-326  
Quillfeldt, Petra, et al., 242-248  
Quinn, John, see Ramos, Jamie A., et al.  
*Quiscalus mexicanus*, 116-136
- Ragologus leucostigma*, 248-255  
Rail, Woodford's, 472-483  
*Rallus limicola*, 248-255  
Ramos, Jamie A., et al., 709-716  
*Ramphastos dicolorus*, 916-933  
*R. sulfuratus*, 304-326  
*R. swainsonii*, 304-326  
*R. toco*, 916-933  
*R. tucanus*, 916-933  
*Ramphocaenus melanurus*, 304-326  
*Ramphocelus dimidiatus*, 191-210  
*Ra. passerini*, 304-326  
*Ra. sanguinolentus*, 304-326  
*Ramphocinclus brachyus*, 35-55  
*Ram. brachyus*, 35-55  
Rangen, Sheila A., et al., 105-115  
Rätti, Osmo, et al., 147-155  
Raven, Common, 389-403, 636-649, 678-686  
Razorbill, 404-411, 996-1007, 1076-1080,  
Recent Advances in Grassland Bird Research: Where do we go from here?, 11-15  
*Recurvirostra americana*, 484-495, 1072-1076  
*R. aocetta*, 1072-1076  
Redstart, 665-677; American, 92-104, 389-403, 583-588, 589-610, 776-780, 1018-1028  
Reed, J. Michael, see Harris, Rebecca J., and —  
Reed-Warbler, Eurasian, 698-708  
Reeves, Henry M., 1030-1031
- Regional Variation in Response of Field Sparrows to the Threat of Brown-headed Cowbird Parasitism, 776-780  
Regosin, Jonathan V., and Pruett-Jones, Stephen, 167-175  
*Regulus calendula*, 389-403, 513-519  
*R. regulus*, 698-708  
*R. satrapa*, 389-403, 676-686, 389-403  
*Reinwardtoena brownii*, 874-887  
Relationship between Timing of Reproduction and Foraging Behavior in Neotropical Insectivorous Birds, 191-210  
Relationship of Songbird Nest Concealment to Nest Fate and Flushing Behavior of Adults, 231-237  
Remsen, J. V., Jr., 838-848  
Reproductive success, 412-421, 525-528, 636-659, 864-873, 934-943; of *Ficedula hypoleuca*, 750-755; of *Melospiza melodia*, 432-442  
Response to Passerine Birds to Forest Edge in Coast Redwood Forest Fragments, 678-686  
Rezende, Enrico L., et al., 781-785  
*Rhagologus*, 248-255  
*Rhipidura cockerelli interposita*, 472-483  
*R. leucophrys melaleuca*, 472-483  
*R. rufifrons commoda*, 472-483  
*Rhynchocyclus brevirostris*, 304-326  
*Rhytipterna holerythra*, 304-326  
Ricklefs, Robert E., see Hunt, Jeffery S., et al.  
Rimmer, Christopher C., see Hobson, Keith A., et al.  
*Riparia riparia*, 116-136  
*Rissa tridactyla*, 352-365, 636-649  
Robertson, Raleigh J., see Jones, Jason, and —  
Robin, American, 389-403, 513-519, 589-610, 678-686, 776-780, 1018-1028, 1080-1088; Clay-colored, 304-326; European, 698-708; Pale-vented, 304-326; White-throated, 304-326  
Robinette, John R., see Bryan, A. Larry, Jr., et al.  
Rockwell, Robert F., see Flint, Paul L., et al.  
Rodewald, Amanda, and Yahner, Richard H., 1018-1028  
Roller, Cuckoo, 849-863; Ground, 849-863  
Røskft, Eivind, see Clarke, Alice L., et al.  
Ross, William G., see Conner, Richard N., et al.  
Rothstein, Stephen L., see Zahn, Sherie N., and —  
Rudolph, D. Craig, see Conner, Richard N., et al.  
Ruff, 759-765
- S. s. bahiae*, 56-78  
Saenz, Daniel, see Conner, Richard N., et al.  
Saldanha, Colin, see Schlinger, Barry A., et al.  
*Saltator atriceps*, 304-326  
*S. grossus*, 304-326  
*S. maximus*, 304-326  
Saltator, Black-headed, 304-326; Buff-throated, 304-326  
Sanchez, Laura L., see Dearborn, Donald C., and —  
Sandpiper, Common, 472-483; Least, 484-495; Semipalmated, 79-91; Upland, 24-34; Western, 79-91, 484-495



- Sanz, Juan José, 539-543  
Sapsucker, Yellow-bellied, 389-403  
*Sarothrura elegans*, 248-255  
Saunders, George B., 1907-2001, In Memoriam, 1030-1031  
*Sayornis phoebe*, 116-136, 1018-1028  
Scheckerman, Hans, and Visser, G. Henk, 944-957  
Schlinger, Barney A., et al., 283-289  
Schmoll, Tim, see Quillfeldt, Petra, et al.  
*Schoeniophylax phryganophila*, 457-471  
Schwilch, Regine, and Jenni, Lukas, 698-708  
*Sclerurus guatemalensis*, 304-326  
*Scolopax minor*, 290-303  
Scott, Peter E., see Bajema, Robb A., et al.  
Screech-Owl, Eastern, 1095-1101; Vermiculated, 304-326; Western, 1095-1101  
Scrubfowl, Dusky, 472-483  
Scrub-Jay, Florida, 137-146, 242-248, 525-528  
Sealy, Spencer G., see Woolfenden, Bonnie E., et al.  
Search-settling time, 698-708  
Sedgwick, James A., 366-379  
Sedinger, James S., et al., 1088-1095  
Sedinger, James S., see Flint, Paul L., et al.  
Seed-eater, Variable, 304-326; White-collared, 304-326  
Seed-Finch, Thick-billed, 304-326  
*Seiurus aurocapillus*, 304-326, 380-388, 389-403, 589-610, 864-873, 1018-1028  
*S. motacilla*, 304-326, 1018-1028  
*S. noveboracensis*, 304-326, 513-519, 819-831  
*Selasphorus platycercus*, 795-799  
*S. rufus*, 795-799  
*Selenidera spectabilis*, 304-326  
Sergio, Fabrizio, and Bogliani, Giuseppe, 1047-1052  
*Setophaga ruticilla*, 92-104, 389-403, 583-588, 589-610, 776-780, 1018-1028  
Sex-related Differences in Habitat Use in Wintering American Kestrels, 746-750  
Sexual Selection and Tail-Length Dimorphism in Scissor-Tailed Flycatchers, 167-175  
Shag, Blue-eyed, 983-995; European, 983-995  
Shapiro, Leo H., and Dumbacher, John P., 248-255  
Shearwater, Audubon's, 755-759; Black-vented, 755-759; Cory's, 242-248, 755-759; Sooty, 755-759; Wedge-tailed, 755-759  
Sherry, Thomas W., see Holmes, Richard T., and —  
Shkolnik, Amiram, see Anava, Avner, et al.  
Shrike-Vireo, Green, 304-326  
*Sialia sialis*, 147-155, 743-745  
Sicklebill, White-tipped, 304-326  
Simons, Theodore R., see Farnsworth, George L., and —  
*Sitta canadensis*, 389-403, 589-610, 678-686  
*S. carolinensis*, 389-403, 583-588  
Skua, 231-236; South Polar, 636-649  
Skutch, Alexander F., 1034-1035  
Slaty-Antshrike, Western, 304-326  
Smith, Catherine E., see Kratter, Andrew W., et al.  
Smith, Henrik G., see Ottoson, Ulf, et al.  
Smith, Loren M., see Davis, Craig A., and —  
Smith, Thomas B., see Larison, Brenda, et al.  
Snodgrass, Joel W., see Bryan, A. Larry, Jr., et al.  
Snow, Christine M., see Larison, James R., et al.  
Snowcap, 304-326  
Solitaire, Black-faced, 304-326  
Soma, Kiran K., see Schlinger, Barry A., et al.  
*Somateria fischeri*, 290-303  
*S. mollissima*, 290-303  
Sordahl, Tex A., 1072-1076  
Spadebill, Golden-crowned, 304-326  
Sparrow, American Tree, 513-519, 1080-1088; Bachman's, 832-837; Baird's, 11-15, 24-34, 765-769; Black-striped, 304-326; Chipping, 105-115, 389-403; Clay-colored, 24-34, 105-115, 765-769; Field, 237-242, 422-431, 770-776, 776-780; Fox, 513-519; Golden-crowned, 231-236; Grasshopper, 11-15, 24-34, 765-769; Harris', 231-236; Henslow's, 11-15, 422-431, 832-837; House, 1080-1088, 1101-1107; Le Conte's, 24-34, 11-15, 765-769; Lincoln's, 105-115, 513-519; Nelson's Sharp-tailed, 765-769; Orange-billed, 304-326; Savannah, 11-15, 24-34, 513-519, 765-769; Song, 231-236, 283-289, 389-403, 432-442, 765-769; Timberline, 231-236; Vesper, 765-769; White-crowned, 79-91, 231-236, 389-403, 513-519, 1080-1088; White-throated, 105-115, 231-236, 389-403,  
Sparrowhawk, 352-365; European, 996-1007; Imitator, 472-483  
*Spheniscus mandiculus*, 248-255  
*Sphyrapicus varius*, 389-403  
Spinetail, Chotoy, 457-471; Slaty, 304-326  
*Spiza americana*, 11-15, 105-115  
*Spizaetus tyrannus*, 304-326  
*Spizella arborea*, 513-519, 1080-1088  
*S. pallida*, 24-34, 105-115, 765-769  
*S. passerina*, 105-115, 389-403  
*S. pusilla*, 237-242, 422-431, 770-776, 776-780  
*S. taverneri*, 231-236  
*Sporophila americana*, 304-326  
*Sp. torquella*, 304-326  
St. Clair, Colleen Cassady, et al., 934-943  
St. Clair, Robert C., see St. Clair, Colleen Cassady, et al.  
Stable isotope analysis, 16-23, 1008-1017  
Stanback, Mark T., and Dervan, Anne A., 743-745  
Standard and Comparative Energetics of a Small Avian Herbivore (*Phytotoma rara*), 781-785  
Starling, Brown-winged, 472-483; European, 819-831, 1069-1072; Metallic, 472-483; Singing, 472-483  
Steadman, David W., see Kratter, Andrew W., et al.  
*Steatornis caripensis*, 211-215, 819-831  
Sternorariidae, 231-236  
*Stercorius (parasiticus and longicaudus)*, 231-236  
*Sterna dougallii*, 709-716  
*S. fuscata*, 709-716

- Stickney, Alice A., see Sedinger, James S., et al.  
*Stigmatura budytoides inzonata/gracilis*, 457-471  
 Stilt, Banded, 1072-1076; Black-necked, 1072-1076;  
     Black-winged, 1072-1076; White-headed, 1072-  
     1076  
 Stint, Little, 484-495  
*Stiphrornis sanghensis*, 575-582  
 Stokstad, Paul, see Williams, Timothy C., et al.  
 Stork, Wood, 508-513; Yellow-billed, 508-513  
 Storm-Petrel, Common, 79-91; Leach's, 1095-1101;  
     Wilson's, 242-248  
 Stouffer, Phillip C., 832-837  
 Stradi, Riccardo D., see Inouye, Caron Y., et al.  
 Strausberger, Bill M., and Burhans, Dirk E., 770-776  
 Street, Phillips B., 1914-2000, In Memoriam, 1033-  
     1034  
*Streptopelia bitorquata*, 874-887  
*S. calicola*, 874-887  
*S. chinensis*, 874-887  
*S. decaocto*, 874-887  
*S. decipiens*, 874-887  
*S. hypopyrrha*, 874-887  
*S. orientalis*, 874-887  
*S. picturata*, 874-887  
*S. roseogrisea*, 874-887  
*S. semitorquata*, 874-887  
*S. senegalensis*, 874-887  
*S. tranquebarica*, 874-887  
*S. turtur*, 874-887  
*S. vinacea*, 874-887  
*Sturnella magna*, 11-15, 105-115  
*S. neglecta*, 11-15, 24-35, 765-769  
*Sturnis vulgaris*, 819-831, 1069-1072  
*Suiriri islerorum*, 56-78  
*Su. suiriri*, 457-471  
*Su. suiriri affinis*, 56-78, 457-471  
*Su. suiriri bahiae*, 457-471  
*Su. suiriri suiriri*, 457-471  
*Sula bassana*, 529-534  
 Sunbird, Olive-backed, 472-483  
 Suryan, Robert M., and Irons, David B., 636-649  
 Swallow, Bank, 116-136; Cliff, 176-190, 583-588; Pa-  
     cific, 472-483; Tree, 116-136, 147-155, 176-190,  
     242-248, 432-442, 789-795, 1057-1062, 1069-  
     1072  
 Swampphen, Purple, 472-483  
 Swift, Chimney, 832-837  
 Swiftlet, Glossy, 472-483; Uniform, 472-483; White-  
     rumped, 472-483  
*Sylvia atricapilla*, 665-677  
*S. borin*, 79-91, 665-677  
*S. curruca*, 665-677  
*S. hortensis*, 665-677  
*S. nisoria*, 665-677  
*Synallaxis brachyura*, 304-326  
*Sythliboramphus antiquus*, 996-1007  
  
*Tachyphonus delatrii*, 304-326  
*T. luctuosus*, 304-326  
  
*T. rufus*, 304-326  
*Taeniopygia guttata*, 283-289, 958-972  
 Tanager, Blue-gray, 304-326; Crimson-backed, 191-  
     210; Crimson-collared, 304-326; Dusky-faced,  
     304-326; Golden-hooded, 304-326; Olive, 304-  
     326; Palm, 304-326; Passerini's, 304-326; Scarlet,  
     304-326, 727-735, 1018-1028; Silver-throated,  
     304-326; Summer, 304-326, 832-837; Tawny-  
     crested, 304-326; White-lined, 304-326; White-  
     shouldered, 304-326  
*Tangara icterocephala*, 304-326  
*T. larvata*, 304-326  
*Taraba major*, 304-326  
 Tegelström, Håken, see Rätti, Osmo, et al.  
*Terenotriccus erythrurus*, 304-326  
 Tern, Roseate, 709-716; Sooty, 709-716  
 Territory and Nest-Site Selection of Cerulean War-  
     blers in Eastern Ontario, 727-735  
*Thalurania colombica*, 304-326  
*Thamnophilus atrinucha*, 304-326  
*T. doliatus*, 304-326  
 Thermogenesis, 983-995; of *Empidonax oberholseri*,  
     116-136  
 Thirty-year Bird Population Trends in an unfrag-  
     mented Temperate Deciduous Forest: Importance  
     of Habitat Change, 589-610  
 Thompson, Christopher W., see Klicka, John, et al.  
 Thompson, Frank R. III., see Burhans, Dirk E.,  
     and —  
 Thompson, Hazell Shokellu, see Brooks, Thomas,  
     and —  
 Thrasher, Pearly-eyed, 35-55; Scaly-breasted, 35-55;  
     White-breasted, 35-55  
*Thraupis episcopus*, 304-326  
*T. palmarum*, 304-326  
*Threnetes ruckeri*, 304-326  
 Thrush, Bicknell's, 16-23, 389-403, 832-837; Clay-  
     colored, 191-210; Forest, 35-55; Gray-cheeked,  
     16-23, 304-326, 832-837, 838-848; Hermit, 105-  
     115, 277-278, 389-403, 1018-1028; Swainson's,  
     16-23, 304-326, 513-519, 678-686; Varied, 678-  
     686; Wood, 304-326, 589-610, 864-873, 973-982,  
     1018-1028, 1080-1088  
*Thryothorus atrogularis*, 304-326  
*T. leucotis*, 191-210  
*T. ludovicianus*, 215-219  
*T. modestus*, 191-210, 304-326  
*T. nigricapillus*, 304-326  
*T. rufalbus*, 191-210  
*T. thoracicus*, 304-326  
 Tinamou, Great, 304-326; Little, 304-326; Slaty-  
     breasted, 304-326; White-breasted, 457-471  
*Tinamus major*, 304-326  
 Tit, Bearded, 147-155, 789-795; Blue, 795-799; Coal,  
     242-248; Great, 116-136, 176-190, 795-799;  
     Marsh, 795-799  
*Tityra semifasciata*, 304-326  
*Tityra*, Masked, 304-326  
*Todirostrum cinereum*, 304-326

- Todus todus*, 849-863  
 Tody-Flycatcher, Common, 304-326; Slate-headed, 304-326  
 Tody-Tyrant, Cinnamon-breasted, 334-341  
**Tody-Tyrant, Lulu's**, 334-341; see also *Poecilotriccus Luluae*  
*Tolmomyias assimilis*, 304-326  
*T. sulphureus*, 304-326  
 Toucan, Chestnut-mandibled, 304-326; Keel-billed, 304-326  
 Toucanet, Yellow-eared, 304-326  
 Towhee, Eastern, 1018-1028  
*Toxostoma*, 35-55  
*Trachyphonus darnaudii*, 916-933  
 Treeswift, Moustached, 472-483  
 Trembler, Brown, 35-55; Gray, 35-55  
*Trichoglossus haematodus massena*, 472-483  
*Tringa nebularia*, 472-483  
*Trogon rufus*, 304-326  
*Troglodytes aedon*, 191-210, 211-215, 743-745, 944-957  
*T. troglodytes*, 678-686  
 Troglodytidae, 191-210  
*Trogon clathratus*, 304-326  
*T. massena*, 304-326  
*T. rufus*, 304-326  
*T. violaceus*, 304-326  
 Trogon, Black-throated, 304-326; Lattice-tailed, 304-326; Slaty-tailed, 304-326; Violaceous, 304-326  
 Trost, Charles H., see Wang, Xiao-hong, and —  
*Turdoides caudatus*, 525-528  
*T. gymnogenys*, 525-528  
*T. hindei*, 575-582  
*T. jardinei*, 525-528  
*T. squamiceps*, 519-524, 525-528  
*T. striatus*, 525-528  
*Turdus assimilis*, 304-326  
*Tu. grayi*, 191-210, 304-326  
*Tu. helleri*, 575-582  
*Tu. migratorius*, 389-403, 513-519, 589-610, 678-686, 776-780, 1018-1028, 1080-1088  
*Tu. obsoletus*, 304-326  
 Turkey, Wild, 277-278, 557-562, 799-804  
*Tympanuchus phasianellus*, 24-34, 799-804  
 Tyrannulet, Brown-capped, 304-326; Paltry, 304-326; Yellow, 304-326  
*Tyrannus forficatus*, 167-175  
*T. savana*, 167-175  
*T. tyrannus*, 24-34, 304-326, 832-837  
 Tyrant, Long-tailed, 304-326; Streamer-tailed, 56-78  
*Tyto alba*, 342-351  
 Umbrellabird, Bare-necked, 304-326  
*Uratekornis chimaera*, 849-863  
*Uria aalge*, 529-534, 1076-1080  
*U. lomvia*, 996-1007  
*Urocolius macrourus*, 916-933  
 Vanellus vanellus, 944-957  
 Variation in Growth of Nestling Tree Swallows Across Multiple Temporal and Spatial Scales, 176-190  
 Veery, 304-326, 832-837, 838-848  
*Veniliornis fumigatus*, 304-326  
 Venis, Sarah, see Ramos, Jamie A., et al.  
 Verbovan, Nanette, et al. 503-508  
*Vermivora celata*, 513-519, 583-588  
*V. chrysoptera*, 304-326  
*V. fuficapilla*, 211-215  
*V. peregrina*, 105-115, 304-326, 389-403  
*V. peregrina*, 211-215  
*V. pinus*, 304-326  
*V. ruficapilla*, 389-403  
*V. virginiae*, 583-588  
 Vickery, Peter D., and Herkert, James R., 11-15  
*Vireo flavifrons*, 304-326  
*V. flavoviridis*, 304-326  
*V. griseus*, 304-326, 832-837  
*V. olivaceus*, 304-326, 389-403, 864-873  
*V. philadelphicus*, 589-610  
*V. solitarius*, 389-403, 1018-1028  
 Vireo, Blue-headed, 389-403, 1018-1028; Philadelphia, 589-610; Red-eyed, 304-326, 389-403, 864-873; White-eyed, 304-326, 832-837; Yellow-green, 304-326; Yellow-throated, 304-326  
*Vireolanius pulchellus*, 304-326  
 Visser, G. Henk, see Schekkerman, Hans, and —  
 Visual Signals for Individual Identification: The Silent "Song" of Ruffs, 759-765  
*Volatinia jacarina*, 304-326, 404-411  
 Vulture, Bearded, 785-789; Indian Long-billed, 290-303; Turkey, 304-326; White-Backed, 290-303  
 Wagtail, Willie, 472-483  
 Wagtail-Tyrant, Greater, 457-471  
 Walker, Jane L., see Haramis, G. Michael, et al.  
 Wang, Xiao-hong, and Trost, Charles H., 137-146  
 Warbler, Barred, 665-677; Bay-breasted, 304-326, 389-403; Black-and-white, 304-326, 389-403, 589-610; Blackburnian, 304-326, 389-403; Blackpoll, 389-403, 513-519; Black-throated Blue, 16-23, 389-403, 544-549, 583-588, 1018-1028; Black-throated Green, 389-403, 1018-1028; Blue, 380-388; Blue-winged, 304-326; Buff-rumped, 304-326; Canada, 304-326, 389-403, 589-610; Cerulean, 304-326, 727-735, 832-837; Chestnut-sided, 304-326, 389-403; Conneticut, 832-837; Garden, 79-91, 665-677; Golden-cheeked, 832-837, 1052-1057; Golden-winged, 304-326; Great Reed, 147-155; Hermit, 678-686; Hooded, 92-104, 147-155, 304-326, 1018-1028; Kentucky, 304-326; Kirtland's, 832-837; Magnolia, 277-278, 304-326, 389-403; Mourning, 304-326; Nashville, 389-403; Olive-crowned, 304-326; Orange-crowned, 513-519, 583-588; Orphee, 665-677; Pine, 1101-1107; Reed, 534-538, 776-780; Swainson's, 650-664; Tennessee, 105-115, 304-326, 389-403; Virginia's, 583-588; Wilson's,

- 389-403, 513-519, 678-686; Worm-eating, 304-326, 864-873, 1018-1028; Yellow, 105-115, 389-403, 776-780; Yellow-rumped, 79-91, 389-403, 513-519, 819-831, 1101-1107
- Wassenaar, Leonard I., see Hobson, Keith A., et al.
- Waterthrush, Louisiana, 304-326, 1018-1028; Northern, 304-326, 513-519, 819-831
- Waxwing, Cedar, 389-403, 819-831, 1080-1088
- Webb, Horace P., see Kratter, Andrew W., et al.
- Weckstein, Jason D., et al., 231-236
- West Nile virus, 290-303
- Whimbrel, 472-483
- Whistler, Golden, 472-483
- White-eye, Yellow-throated, 472-483
- Whitehead, Donald R., see Ford, Thomas B., et al.
- Whitethroat, Lesser, 665-677
- Whittaker, Andrew, see Zimmer, Kevin J., et al.
- Wiebe, Karen L., 412-421
- Wiese, Francis K., and Jones, Ian L., 1062-1068
- Wiktander, Ulf, et al. 624-635
- Willet, 24-34
- William Brewster Memorial Award, 2000—Cynthia Carey, 268-269
- Williams, Janet M., see Williams, Timothy C., et al.
- Williams, Pamela L., see Larison, Brenda, et al.
- Williams, Peter G., see Williams, Timothy C., et al.
- Williams, Timothy C., et al. 389-403
- Williams, Tony C., see St. Clair, Colleen Cassidy, et al.
- Wilsonia canadensis*, 304-326, 389-403, 589-610
- W. citrina*, 92-104, 147-155, 304-326, 1018-1028
- W. pusilla*, 389-403, 513-519, 678-686
- Winker, Kevin, see Benson, Anna-Marie, and —
- Winslow, Donald E., see Ford, Thomas B., et al.
- Within-season Nest-site Fidelity in Eastern Bluebirds: Disentangling Effects of Nest Success and Parasite Avoidance, 743-745
- Woodcock, American, 290-303
- Woodcreeper, Black-striped, 304-326; Cocoa, 304-326; Long-tailed, 304-326; Northern Barred, 304-326; Plain-brown, 304-326; Spotted, 304-326; Streak-headed, 304-326; Wedge-billed, 304-326
- Woodhaunter, Striped, 304-326
- Woodnymph, Violet-crowned, 304-326
- Woodpecker, Acorn, 557-562; Black-cheeked, 304-326; Chestnut-colored, 304-326; Cinnamon, 304-326; Lesser Spotted, 624-635; Lineated, 304-326; Pale-billed, 304-326; Pileated, 589-610; Red-cockaded, 219-224; Rufous-winged, 304-326; Smoky-brown, 304-326
- Wood-Pewee, Eastern, 304-326, 589-610, 1018-1028
- Wood-Rail, Gray-necked, 304-326
- Wood-Wren, White-breasted, 304-326
- Woelfenden, Bonnie E., et al. 156-166
- Woelfenden, Glen E., 740-742
- Wren, Band-backed, 304-326; Bar-winged Wood, 334-341; Bay, 304-326; Black-throated, 304-326; Buff-breasted, 191-210; Carolina, 215-219; Gray-Breasted Wood, 191-210; House, 191-210, 211-215, 743-745, 944-957; Nightingale, 304-326; Plain, 191-210, 304-326; Rufous-and-white, 191-210; Sedge, 11-15, 24-24, 765-769; Song, 304-326; Stripe-breasted, 304-326; Winter, 678-686
- Wrentit, 678-686
- Xenoglaux loureyi*, 334-341
- Xenop, Plain, 191-210, 304-326
- Xenopodix*, 575-582
- Xenops minutus*, 191-210, 304-326
- Xiphorhynchus erythropygius*, 304-326
- X. lachrymosus*, 304-326
- X. susurrans*, 304-326
- Xolmis irupero irupero/nivea*, 457-471
- Yahner, Richard H., see Rodewald, Amanda, and —
- Yellowthroat, Common, 24-34, 237-242, 389-403, 765-769, 1018-1028
- Zahn, Sherie N., and Rothstein, Stephen I., 260-266
- Zenaida asiatica*, 874-887
- Z. aurita*, 795-799
- Z. macroura*, 24-34
- Z. macroura*, 874-887
- Zimmer, Kevin J., et al., 56-78
- Zimmerius vilissimus*, 304-326
- Zink, Robert M., see Klicka, John, et al.
- Zink, Robert M., see Weckstein, Jason D., et al.
- Zonotrichia albicollis*, 105-115, 231-236, 389-403, *Z. atricapilla*, 231-236
- Z. leucophrys*, 79-91, 231-236, 389-403, 513-519, 1080-1088
- Z. querula*, 231-236
- Zosterops metcalfei*, 472-483

